

Forming Expressions and Equations


Letters in **expressions** represent missing numbers

Add 14 to <i>a</i>	$a + 14$
Subtract 20 from <i>b</i>	$b - 20$
Multiply <i>c</i> by 4	$4c$
12 more than <i>d</i>	$d + 12$
Multiply <i>e</i> by 3 and subtract 5	$3e - 5$
Add 12 to <i>f</i> and then multiply by 2	$2(f + 12)$


$a + 14 = 20$
$b - 20 = 15$
$4c = 28$
$d + 12 = 30$
$3e - 5 = 10$
$2(f + 12) = 44$

An **equation** includes the = sign
Expressions on either side of the equals sign have equal value

One Step and Two Step Equations




$3x = 12$
So $x = 4$




$12 = 3 + x$
So $x = 9$



$2x + 5 = 12$



$2x = 7$



$x = 3.5$

Vocabulary

expression	A group of numbers, letters and operation symbols
equation	A number statement containing the = sign
formula	A type of equation that shows the relationship between variables
variable	A symbol for a value we don't yet know – this is usually a letter
substitution	Putting values where letters are
value	A number or the result of a calculation

Formulas or Formulae

We often use **formulae** in geometry

Area of a rectangle
= length x width **A = L x W**

Area of a triangle
= (base x height) ÷ 2
A = (b x h) ÷ 2

Equations with Unknown Values

$ab = 18$	
<i>a</i>	<i>b</i>
1	18
2	9
3	6
6	3
9	2
18	1

$2a + b = 10$	
<i>a</i>	<i>b</i>
2	6
3	4
4	2
5	0

In equations with two unknown values, there may be several possible answers

Substitution

Values can be substituted for the letters

$w = 3$ $x = 5$ $y = 2.5$

$w + 10$
 $w + x$
 $y - w$